MATERIAL SAFETY DATA SHEET

Tri Art Manufacturing Inc. 4 Harvey Street Kingston; Ontario; K7K 5B9 Canada

PRODUCT: UV REACTIVE MEDIUM MATTE

Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity Manufacturer name and address	UV REACTIVE MEDIUM MATTE & GLOSS Tri-art Manufacturing Inc. 4 Harvey Street Kingston
	Ontario Canada K7K 5B9 613-541-0299
24 hour emergency phone number Recommended use Chemical family	(613) 541-0299 (9 am to 5 pm EST). Paint for consumer use.

Section 02: HAZARDS IDENTIFICATION

Hazard Classification / Category	Non-toxic - does not meet OSHA Hazard Communication classification criteria.
Signal Word	Non-toxic.
Precautionary Statements	Avoid prolonged contact with skin. Avoid contact with eyes. Wash skin thoroughly after
,	handling. Do not ingest this product and wash hands before consuming food.
Description of Hazards	Direct skin contact may result in little or no irritation. Prolonged contact, may be more
•	irritating. Eye contact may cause mild transient irritation. If ingested, may cause irritation of
	mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting.
	Ingestion of larger amounts may cause defects to the central nervous system (e.g.
Mixtures Statement	
	Harmonized System bridging principles. All ingredient classifications have been reviewed
	and been taken into consideration.
Mixtures Statement	Irritating. Eye contact may cause mild transient irritation. If ingested, may cause irritation of mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache). This product is a mixture and has been classified in accordance with the Globally Harmonized System bridging principles. All ingredient classifications have been reviewed and been taken into consideration.

Section 03: COMPOSITION/INFORMATION ON INGREDIENTS			
CAS #	Wt. %		
57-55-6	1-5		
Section 04: FIRST AID MEASURES			
Immediately flush eye seek prompt medical	es with running water for at least 5 to 10 minutes. If irritation persists, attention		
Do not induce vomitir	. Do not induce vomiting. Never give anything by mouth if victim is unconscious. Consult a		
Unintentional inhalation of this product should not pose any health risks.			
	Treat symptomatically.		
	CAS # 57-55-6 ection 04: FIRST AID Immediately flush eye seek prompt medical Do not induce vomitir physician. Unintentional inhalatio Wash off with soap ar with your doctor.		

Extinguishing Media	This product does not burn in its liquid form. Use extinguishing media suitable to the
Hazardous Combustion Products	surrounding fire. Carbon oxides in the event the dried paint is involved in a fire.
Special Fire Fighting Procedures	None required for this product.
Unusual Fire/Explosion Hazards	Not flammable under normal conditions of use. This product is not sensitive to mechanical
	impact or static discharge.

Section 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions	
Emergency Procedures	walking on spilled product. Keep children and all others away from spilled material. Use suitable absorbent materials such as cloth, rags, sponges, or paper towels .
Clean Up	Contain and wipe up the spill with absorbent material or cloth. Rinse the cloth with water and repeat the process until surface is clean and dry of spilled material .

MATERIAL SAFETY DATA SHEET

PRODUCT: UV REACTIVE MEDIUM MATTE & GLOSS

Section 07: HANDLING AND STORAGE

Handling Precautions.....Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away
from extreme heat and flame. Keep containers tightly closed when not in use.Storage Requirements.....Store in a cool, dry, well ventilated area. Do not freeze. Recommended storage
temperature: 0 - 30°C (32 - 86°F).

Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Ingredients	ACG	GIH TLV	OSH/	A PEL	NIOSH
	TWA	STEL	PEL	STEL	REL
PROPYLENE GLYCOL Protective Equipment Clothing/Type Eye/Type Gloves/Type Engineering Controls		No special protective c Take the necessary pro No gloves are required	lothing is required to u ecautions to avoid liqu to handle this product	se this product. id contact with eyes. t.	Not established ing this product.

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance Color Odour Odour Threshold (ppm)	
Vapour Density (Air = 1)	No data.
Vapour Pressure (mm Hg)	Similar to water.
pH	8.4 - 9.4.
Relative Density / Specific Gravity	1.00 - 1.10.
Melting / Freezing Point	0° C / 32° F.
Solubility	
Initial Boiling Point / Boiling Range	100°C / 212°F.
Evaporation Rate	Similar to water.
Flash Point (deg C), Method	Non-flammable.
Auto Ignition Temperature (deg C)	Not applicable.
Upper Flammable Limit (% Vol)	Not applicable.
Lower Flammable Limit (% Vol)	Not applicable.
Coefficient of Water/Oil Distribution	
% Volatile By Weight	71-75%.
Viscosity	300 - 550 poise @0.5 rpm.

Section 10: STABILITY AND REACTIVITY

Hazardous Polymerization	Stable under the recommended storage and handling conditions prescribed. Will not occur. None known, refer to hazardous combustion products in Section 5. There are no known incompabilities.
--------------------------	--

Section 11: TOXICOLOGICAL INFORMATION

Route Of Exposure Skin a	and eye contact are possible routes of	exposure. Mists and vapours are unlikely to be uct. Do not take internally or ingest this product.	
Effects Of Acute Exposure Inges inhala may r may o	stion of large amounts may be harmful lation may cause irritation to the nose, result in little or no irritation. Prolonged	I. If product is heated or mists are formed, throat and respiratory tract. Direct skin contact d contact may be more irritating. Eye contact use irritation of mouth, throat, and stomach.	
Effects Of Chronic Exposure None	e known.		
Carcinogenicity Of Material This p Aggravated Medical Conditions None	This product does not contain any carcinogens listed by the IARC, NTP or ACGIH. None are anticipated under normal use.		
Note Use c	of this product following our recommen	nded instructions should not cause any health	
hazar Toxicological Data	ards, other than those indicated above	•	
ngredients LC50-inh, r	rat	LD50-Oral,rat	

PROPYLENE GLYCOL

Not available

22,000 mg/kg Rat oral; 20,800 Rabbit dermal

PRODUCT: UV REACTIVE MEDIUM MATTE MATTE & GLOSS

Section 12: ECOLOGICAL INFORMATION

Data From Toxicity Tests	Data from toxicity tests are not available at this time.
Environmental	No data at this time .
Bioaccumulation Potential	
Other Adverse Effects	
Absorption Potential	No data available at this time.

Section 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods	Empty containers should be recycled in accordance with local municipal recycling practices. Containers that are not empty should be brought to your local waste paint recycling facility.
Appropriate Disposal Considerations	Wherever possible unused paint should be brought to your local waste paint facility.
Properties Affect Disposal	None anticipated.
Sewage Disposal Comments	Wherever possible, paint should not be washed down the sewer.

Section 14: TRANSPORT INFORMATION

Transport Hazard Classification Packaging Group (If Applicable) Environmental Hazards Guidance On Transport In Bulk	Not regulated.
--	----------------

Section 15: REGULATORY INFORMATION

Globally Harmonized System Classification WHMIS Classification CEPA Status TSCA Inventory Status OSHA SARA TITLE III Section 302 - Extremely Hazardous	The ingredients in this product appear on the DSL . All ingredients are listed on the TSCA inventory. This product is not considered hazardous .
Substances Section 311/312 - Hazard Categories SARA Section 313	Not applicable. This material is not subject to SARA notification requirements, since it does not contain any
EPA Hazardous Air Pollutants (HAPS) 40CFR63	Toxic Chemical constituents above de minimus concentrations.
California Proposition 65 HS Code	This product does not contain any chemical(s) known to the State of California to cause cancer or reproductive toxicity. 3209.10.00.20.

Section 16: OTHER INFORMATION

Prepared By Disclaimer	This Safety Data Sheet was prepared by Tri-Art Manufacturing and obtained from supplier information. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. Tri-Art Manufacturing Inc. disclaims all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process. This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Tri-Art
Preparation Date	Manufacturing Inc. Jan14/13